PHOTOVOLTAICS

Teacher Guide

Hands-on explorations that teach scientific concepts of solar energy and photovoltaics to secondary students.




GRADE LEVEL

Secondary

SUBJECT AREAS

Science Social Studies Math Language Arts





Teacher Advisory Board

Shelly Baumann, Rockford, MI Constance Beatty, Kankakee, IL Sara Brownell, Canyon Country, CA Amy Constant, Raleigh, NC Joanne Coons, Clifton Park, NY Nina Corley, Galveston, TX Regina Donour, Whitesburg, KY Darren Fisher, Houston, TX Deborah Fitton, Cape Light Compact, MA Linda Fonner, New Martinsville, WV Viola Henry, Thaxton, VA Robert Hodash, Bakersfield, CA Linda Hutton, Kitty Hawk, NC Doug Keaton, Russell, KY Michelle Lamb, Buffalo Grove, IL Barbara Lazar, Albuquerque, NM Robert Lazar, Albuquerque, NM Mollie Mukhamedov, Port St. Lucie, FL Don Pruett, Sumner, WA Larry Richards, Eaton, IN Joanne Spaziano, Cranston, RI Gina Spencer, Virginia Beach, VA Tom Spencer, Chesapeake, VA Nancy Stanley, Pensacola, FL Doris Tomas, Rosenberg, TX Patricia Underwood, Anchorage, AK Jim Wilkie, Long Beach CA Carolyn Wuest, Pensacola, FL Debby Yerkes, Ohio Energy Project, OH Wayne Yonkelowitz, Fayetteville, WV

Teacher Advisory Board Vision Statement NEED Mission Statement

The mission of the NEED Project is to promote an energy conscious and educated society by creating effective networks of students, educators, business, government and community leaders to design and deliver objective, multi-sided energy education programs.

In support of NEED, the national Teacher Advisory Board (TAB) is dedicated to developing and promoting standards-based energy curriculum and training.

Permission to Reproduce

NEED materials may be reproduced for non-commercial educational purposes.



TABLE OF CONTENTS

Correlated Science Content Standards	4
Teacher Guide	7
Transparency Master: PV Cell	9
Transparency Master: Multimeter	10
Explanations of PV Cell & Multimeter	11
Solar 1 Example	12
Solar 2 Example	13
Solar 3 Example	14
Solar 4 Example	15
Solar 5 Example	16
Solar 6 Example	17
Solar 7 Example	18
Solar 8 Example	19
Solar 9 Example	20
Solar 10 Example	21
Lab Safety Rules	
Evaluation Form	

MATERIALS NEEDED

- 6 AA, C & 9-Volt Batteries
- 6 Protractors
- 6 Lab Thermometers
- 6 Reflecting Lamps*
- 6 Tape Measures

MATERIALS IN KIT

Class Set of Student Guides

- 6 PV Cell Kits
- 6 Multimeters
- 6 Magnifiers
- 6 Sets of Alligator Connectors
- 6 Sets of Color Filters

COST OF KIT: \$350.00

Acknowledgment: Many of the content and graphic explanations in this activity were developed by Robi Robichaud at the National Renewable Energy Laboratory.





^{*} Reflecting lamps are optional but helpful if you have limited time to conduct the unit and don't want to depend on the cooperation of the sun. If you plan to use lamps, have 60W and 40W bulbs available to compare light intensity.

Correlations to National Science Standards

(Bolded standards are emphasized in the unit.)

UNIFYING CONCEPTS & PROCESSES

1. Systems, Order, and Organization

- a. The goal of this standard is to think and analyze in terms of systems, which will help students keep track of mass, energy, objects, organisms, and events referred to in the content standards.
- b. Science assumes that the behavior of the universe is not capricious, that nature is the same everywhere, and that it is understandable and predictable. Students can develop an understanding of order—or regularities—in systems, and by extension, the universe; then they can develop understanding of basic laws, theories, and models that explain the world.
- c. Prediction is the use of knowledge to identify and explain observations, or changes, in advance. The use of mathematics, especially probability, allows for greater or lesser certainty of prediction.
- d. Order—the behavior of units of matter, objects, organisms, or events in the universe—can be described statistically.
- e. Probability is the relative certainty (or uncertainty) that individuals can assign to selected events happening (or not happening) in a specified time or space.
- f. Types and levels of organization provide useful ways of thinking about the world.

2. Evidence, Models, and Explanation

a. Evidence consists of observations and data on which to base scientific explanations. Using evidence to understand interactions allows individuals to predict changes in natural and designed systems.

3. Change, Constancy, and Measurement

- a. Although most things are in the process of change, some properties of objects and processes are characterized by constancy; for example, the speed of light, the charge of an electron, and the total mass plus energy of the universe.
- b. Energy can be transferred and matter can be changed. Nevertheless, when measured, the sum of energy and matter in systems, and by extension in the universe, remains the same.
- c. Changes can occur in the properties of materials, position of objects, motion, and form and function of systems. Interactions within and among systems result in change. Changes in systems can be quantified and measured. Mathematics is essential for accurately measuring change.
- d. Different systems of measurement are used for different purposes. An important part of measurement is knowing when to use which system.

4. Evolution and Equilibrium

- b. Equilibrium is a physical state in which forces and changes occur in opposite and offsetting directions.
- c. Interacting units of matter tend toward equilibrium states in which the energy is distributed as randomly and uniformly as possible.

SECONDARY (GRADES 9-12) CONTENT STANDARD-A: SCIENCE AS INQUIRY

1. Abilities Necessary to do Scientific Inquiry

- a. Identify questions and concepts that guide scientific investigation.
- b. Design and conduct scientific investigations.
- c. Use technology and mathematics to improve investigations and communications.
- d. Formulate and revise scientific explanations and models using logic and evidence.
- e. Recognize and analyze alternative explanations and models.
- f. Communicate and defend a scientific argument.

SECONDARY-B: PHYSICAL SCIENCE

1. Structure of Atoms

- a. Matter is made of minute particles called atoms, which are composed of even smaller components. These components have measurable properties, such as mass and electrical charge.
- b. Each atom has a positively charged nucleus surrounded by negatively charged electrons. The electric force between the nucleus and electrons holds the atom together.
- c. The atom's nucleus is composed of protons and neutrons, which are much more massive than electrons. When an element has atoms that differ in the number of neutrons, these atoms are called isotopes of the element.
- d. The nuclear forces that hold the nucleus of an atom together, at nuclear distances, are usually stronger than the electric forces that would make it fly apart.
- e. Nuclear reactions convert a fraction of the mass of interacting particles into energy, and they can release much greater amounts of energy than atomic interactions.
- f. Fission is the splitting of a large nucleus into smaller pieces.
- g. Fusion is the joining of two nuclei at extremely high temperature and pressure and is the process responsible for the energy of the sun and other stars.

2. Structure and Properties of Matter

- a. Atoms interact with one another by transferring or sharing electrons that are furthest from the nucleus. These outer electrons govern the chemical properties of the element.
- b. An element is composed of a single type of atom.
- c. A compound is formed when two or more kinds of atoms bind together chemically.

4. Motions and Forces

c. The electrical force is a universal force that exists between two charged objects.

5. Conservation of Energy and the Increase in Disorder

a. The total energy of the universe is constant. Energy can be transferred by collisions in chemical and nuclear reactions. by light waves and other radiations, and in many other ways. However, it can never be destroyed. As these transfers occur, the matter involved becomes steadily less ordered.

6. Interactions of Energy and Matter

- a. Waves, including sound and seismic waves, waves on water, and light waves, have energy and can transfer energy when they interact with matter.
- b. Electromagnetic waves—including radio waves, microwaves, infrared radiation, ultraviolet radiation, x-rays, and gamma rays—result when a charged object is accelerated or decelerated.
- c. Each kind of atom or molecule can gain or lose energy only in particular discrete amounts and, thus, can absorb and emit light only at wavelengths corresponding to these amounts.
- d. In some materials, such as metal, electrons flow easily, whereas in insulating materials such as glass, they can hardly flow at all.

SECONDARY STANDARD-D: EARTH AND SPACE SCIENCE

1. Energy in the Earth System

- a. Earth systems have internal and external sources of energy, both of which create heat. The sun is the major external source of energy. Two primary sources of internal energy are the decay of radioactive isotopes and the gravitational energy from the earth's original formation.
- c. Heating of earth's surface and atmosphere by the sun drives convection within the atmosphere and oceans, producing winds and ocean currents.
- d. Global climate is determined by energy transfer from the sun at and near the earth's surface.

4. The Origin and Evolution of the Universe

a. Stars produce energy from nuclear reactions, primarily the fusion of hydrogen to form helium.

SECONDARY STANDARD-E: SCIENCE AND TECHNOLOGY

1. Abilities of Technological Design

- a. Identify a problem or design an opportunity.
- b. Propose designs and choose between alternative solutions.
- c. Implement a proposed solution.
- d. Evaluate the solution and its consequences.
- e. Communicate the problem, process, and solution.

2. Understandings about Science and Technology

- a. Scientists in different disciplines ask different questions, use different methods of investigation, and accept different types of evidence to support their explanations. New disciplines—such as geophysics—often emerge at the interface of two older disciplines.
- b. Science often advances with the introduction of new technologies.
- c. Creativity, imagination, and a good knowledge base are required in science and engineering.
- d. Science and technology are pursued for different purposes. Scientific inquiry is driven by the desire to understand the natural world, and technological design by the need to meet human need and solve human problems.

SECONDARY STANDARD-F: SCIENCE IN PERSONAL AND SOCIAL PERSPECTIVES

3. Natural Resources

- a. Human populations use resources in the environment to maintain and improve their existence.
- b. The earth does not have infinite resources; increasing human consumption places severe stress on the natural processes that renew some resources, and depletes those resources that cannot be renewed.
- c. Humans use many natural systems as resources. Natural systems have the capacity to reuse waste but that capacity is limited. Natural systems can change to an extent that exceeds the limits of organisms to adapt naturally or humans to adapt technologically.

5. Natural and Human-induced Hazards

d. Natural and human-induced hazards present the need for humans to assess potential danger and risk. Many changes in the environment designed by humans bring benefits to society, as well as cause risks. Students should understand the costs and trade-offs of various hazards—ranging from those with minor risk to a few people to major catastrophes with major risk to many people.

6. Science and Technology in Local, National, and Global Challenges

- a. Science and technology can indicate what can happen, not what should happen. The latter involves human decisions about the use of knowledge.
- b. Understanding basic concepts and principles of science and technology should precede active debate about the economics, policies, politics, and ethics of various science and technology related challenges. However, understanding science alone will not resolve local, national, and global challenges.
- c. Individuals and society must decide on proposals involving new research and the introduction of new technologies into society.

Teacher Guide

HANDS-ON INVESTIGATIONS TO TEACH SECONDARY STUDENTS THE SCIENTIFIC CONCEPTS OF PHOTOVOLTAICS.

BACKGROUND

Students use a backgrounder and hands-on investigations to develop an understanding of photovoltaics.

TIME

Five or six 45-minute class periods plus homework. (For schools with PV arrays, the unit will be extended as students investigate and monitor the output of the array.)

PROCEDURE

Preparation

- Familiarize yourself with the **Teacher** and **Student Guides**, and with the materials in the kit. Be sure you read the backgrounder in the **Student Guide** and understand the information. It is suggested that you test the equipment and read the operating manuals.
- Make transparencies of the PV Cell and Multimeter explanations on pages 9-10.
- Collect the materials that are not included in the kit. See the Materials List on page 3.
- Review the Lab Safety Rules on page 26.
- Divide the class into six groups.
- Set up six centers that have reflecting lamps or access to direct sunlight. You can also conduct the investigations outside.

Day 1—Learning About Solar Energy

- Distribute the **Student Guides** to the students and have them read the background information in class or as homework. Have the students outline the materials in their science notebooks and answer the questions on page 14.
- Review and discuss the information with the class, using the PV Cell transparency (See page 11).
- Place the students in their groups at the six centers.
- Review page 15 in the **Student Guide** with the students.
- Using the Multimeter transparency and the operating manual, explain how to use the multimeter. (See page 16 in the **Student Guide**.)
- Review the Lab Safety Rules on page 26 and any other lab rules you have with your students.
- Instruct the students to familiarize themselves with the equipment and practice using the multimeters by measuring the output of the PV cells (Solar 1). (See page 17 of the **Student Guide**.)
- For homework, have the students design investigations for Solar 2, 3, and 4 in their science notebooks following the format in the **Student Guide**. (See pages 18-20 of the **Student Guide**.)

NOTE: Sample designs are included for the Solar Investigations on pages 12-19 of this guide. These are examples only and are not intended to be the only correct designs. Possible expected results are included.

Day 2—Investigating PV Cells

- Place the students in their groups at the six centers.
- Instruct each group to review and discuss their individual designs for the investigations and to develop a group design for each investigation.
- Instruct the students to conduct the investigations and record the results as group work, but to complete the conclusion sections individually, then discuss in their groups.
- Review and discuss the results, conclusions, and challenges as a class.
- For homework, have the students design the investigations for Solar 5-8. (See pages 21-24 of the **Student Guide**.)

Day 3—Investigating PV Cells

- Place the students in their groups at the six centers.
- Instruct each group to review and discuss their individual designs for the investigations and to develop a group design for each investigation.
- Instruct the students to conduct the investigations and record the results as group work, but to complete the conclusion sections individually, then discuss in their groups.
- Review and discuss the results, conclusions, and challenges as a class.
- For homework, have the students design the investigations for Solar 9-10. (See pages 25-26 of the **Student Guide**.) In addition, have each student design an individual investigation using the materials provided at the center, in their science notebooks. (See page 30 of the **Student Guide**.)

Day 4—Investigating PV Cells

- Place the students in their groups at the six centers.
- Instruct each group to review and discuss their individual designs for Solar 9-10 and to develop a group design for each investigation.
- Instruct the students to conduct the investigations and record the results as group work, but to complete the conclusion sections individually, then discuss in their groups.
- Review and discuss the results, conclusions, and challenges as a class.
- Have the students discuss their individual investigation designs with their groups, revise them as necessary, and begin conducting the investigations as groups.

Days 5 & 6—Investigating PV Cells, Extensions, & Evaluation

- Allow the students to complete their individual investigations.
- Have the students conduct the extension investigations on pages 27-29. Students will need to be in three large groups and share equipment to conduct the extensions.
- Review and discuss the results, conclusions, and challenges as a class.
- Have the students complete the Circuit Review on page 30 of the Student Guide. Review.
- Evaluate the unit using the Evaluation Form on page 27 of the **Teacher Guide**.
- Evaluate student performance using the students' science notebooks.

PHOTOVOLTAIC CELL

STEP

4

proton tightly-held electron free electron location that can accept an electron negative character n-type silicon p-type silicon positive character positive charge n-type p-n junction p-type negative charge photons sun positive charge n-type p-n junction p-type negative charge sun wire meter



How a PV Cell is Made and How It Works

A slab (or wafer) of pure silicon is used to make a PV cell. The top of the slab is very thinly diffused with an "n" dopant such as phosphorous. On the base of the slab a small amount of a "p" dopant, typically boron, is diffused. The boron side of the slab is 1,000 times thicker than the phosphorous side. Dopants are similar in atomic structure to the primary material. The phosphorous has one more electron in its outer shell than silicon, and the boron has one less. These dopants help create the electric field that motivate the energetic electrons out of the cell created when light strikes the PV cell.

The phosphorous gives the wafer of silicon an excess of free electrons; it has a negative character. This is called the n-type silicon. The n-type silicon is not charged – it has an equal number of protons and electrons – but some of the electrons are not held tightly to the atoms. They are free to move to different locations within the layer.

The boron gives the base of the silicon a positive character, because it has a tendency to attract electrons. The base of the silicon is called p-type silicon (p = positive). The p-type silicon has an equal number of protons and electrons; it has a positive character but not a positive charge.

Where the n-type silicon and p-type silicon meet, free electrons from the n-layer flow into the p-layer for a split second, then form a barrier to prevent more electrons from moving between the two sides. This point of contact and barrier is called the p-n junction.

When both sides of the silicon slab are doped, there is a negative charge in the p-type section of the junction and a positive charge in the n-type section of the junction due to movement of the electrons and "holes" in at the junction of the two types of materials. This imbalance in electrical charge at the p-n junction produces an electric field between the p-type and n-type.

If the PV cell is placed in the sun, photons of light strike the electrons in the p-n junction and energize them, knocking them free of their atoms. These electrons are attracted to the positive charge in the n-layer and repelled by the negative charge in the p-layer. Most photon-electron collisions actually occur in the silicon base.

A conducting wire connects the p-type layer to electrical application such as a light or battery, and then back to the n-type layer, forming a complete circuit. As the free electrons are pushed into the n-type silicon they repel each other because they are of like charge. The wire provides a path for the electrons to move away from each other. This flow of electrons is an electric current that can power a load, such as a calculator or other device, as it travels through the circuit from the n-layer to the p-layer.

In addition to the semi-conducting materials, solar cells consist of a top metallic grid or other electrical contact to collect electrons from the semi-conductor and transfer them to the external load, and a back contact layer to complete the electrical circuit.

The Multimeter

An ammeter is a device that measures the amount of electric current flowing in a circuit. A voltmeter is a device that measures the voltage potential across the terminals of a source of electromotive force. A multimeter is a device that combines the features of an ammeter and voltmeter to measure current, DC and AC voltage, and resistance in an electric circuit or in parts of a circuit.

The Photovoltaics Kit contains multimeters that may not be exactly like the one shown on page 10, but they are very similar and have the same ranges. Follow the operating instructions that accompany your multimeters to learn how to operate them.

HYPOTHESIS:	
MATERIALS:	PV panel with three PV modules, each with three PV cells multimeter
PROCEDURE:	
1. Measure the	current and voltage of each PV module under identical external conditions.
2. Record the re	esults below and compare.
	·
RESULTS:	Left PV Module Output: A x V = W
	Center PV Module Output: A x V = W
	Right PV Module Output: A x V = W
CONCLUSION:	
The PV modules sho	uld produce similar, though perhaps not identical results.

SOLAR 1: Do Similar PV Cells Produce Similar Electrical Output?

SOLAR 2: How Does Light Intensity Affect the Electrical Output of a PV Cell?

HYPOTHESIS:

MATERIALS: multimeter

PV panel

bright light source

dim light source

PROCEDURE:

- 1. Attach the multimeter to the left PV module.
- 2. Place the PV panel in bright sun.
- 3. Measure the current & voltage produced by the PV module.
- 4. Hold a piece of notebook paper between the PV module and the sun.
- 5. Measure the current & voltage produced by the PV module.
- 6. Conduct trials with the center and right PV modules.

RESULTS: (Both voltage and current should increase with light intensity.)

Trial 1: $V \times A = W$

Trial 2: $V \times A = W$

Trial 3: $V \times A = W$

CONCLUSION:

The greater the light intensity, the greater the electrical output.

CHALLENGES:

Students may find it a challenge to vary the light intensity without changing other factors that could affect the results.


SOLAR 3: How Does the Angle of a PV Cell to a Light Source Affect the Electrical Output?

HYPOTHESIS:

MATERIALS: PV panel

multimeter light source

protractor*



PROCEDURE:

- 1. Connect the multimeter to the left PV module.
- 2. Measure the current & voltage when the PV panel is perpendicular to the light.
- 3. Tilt the PV panel 15° from perpendicular. Measure the output.
- 4. Tilt the PV panel 30°, 45°, 60°, 75° from perpendicular. Measure the output at each angle.
- 5. Conduct trials with the center and right PV modules.

RESULTS:

Current should decrease as the angle increases.


Voltage should remain relatively constant, since voltage is a property of the cell itself.

CONCLUSION:

The greater the angle from perpendicular, the less the electrical output. As the angle increases, the amount of light hitting the PV cell decreases, reducing the wattage. See the diagram above.

CHALLENGES:

Measuring precise angles; determining how to graph the results.



SOLAR 4: How Does the Distance from a Light Source Affect the Electrical Output of a PV Cell?


HYPOTHESIS:

MATERIALS: PV panel

multimeter

lamp

tape measure



PROCEDURE:

- 1. Connect the multimeter to the left PV module.
- 2. Place the PV module at increasing distances from the lamp and measure current & voltage.
- 3. Conduct trials with the center and right PV modules.

RESULTS:


Current should decrease as the distance from the light increases. Voltage should remain relatively constant, since voltage is a property of the cells themselves.

CONCLUSION:

As the distance from the light source increases, the wattage produced by the PV panel decreases. Less light is hitting the PV panel.

CHALLENGES:

This experiment can only be done with a light source, not the sun.



SOLAR 5: How Does Placing Part of a PV Cell in Shadow Affect Its Electrical Output?

HYPOTHESIS:

MATERIALS: PV panel

multimeter

piece of dark cardboard or construction paper

PROCEDURE:

- 1. Connect all three modules of the PV panel in series to the multimeter and place in the sun.
- 2. Cover the left module of the PV panel, holding the dark paper between the panel and the light source, and measure the current & voltage.
- 3. Conduct trials by covering different modules and different numbers of modules of the PV panel.

RESULTS:

Current should decrease as the percentage in shadow increases. Voltage should remain relatively constant, since voltage is a property of the cells themselves.

CONCLUSION:


The wattage decreases in proportion to the increase in the percentage of the PV panel in shadow.

CHALLENGES:

Determining with a reliable degree of precision the percentage of the PV panel in shadow. Some light will hit the back of the panel and travel through the dark paper even when the complete panel is covered.

EXTENSION:

Have the students try to prevent any light from contacting the back of the panel by covering the back to reduce backlighting. Have the students cover the panel with several layers of construction paper to investigate the opacity of the paper.



SOLAR 6: How Does the Color of the Light Affect the Electrical Output of a PV Cell?

HYPOTHESIS:

MATERIALS: PV panel

multimeter color filters

lamp - optional

PROCEDURE:

- 1. Connect the left PV module to the multimeter and place in the sun.
- 2. Measure the current & voltage.
- 3. Place each of the color filters in turn between the sun and the PV panel so that all of the light hitting the PV panel is filtered. Measure the output with each filter.
- 4. Conduct trials with the center and right PV modules.

RESULTS:

Current should decrease when the light is filtered.

Voltage should remain relatively constant, since voltage is a property of the cells themselves. The blue should filter most, the red least.

No Filter: $V \times A = W$

Blue Filter: $V \times A = W$

Green Filter: $V \times A = W$

Red Filter: $V \times A = W$

CONCLUSION:

All of the filters decrease the electrical output to differing degrees, because they are filtering out part of the light hitting the PV panel.

CHALLENGES:

Determining if any decrease in current is a result of the color of the light or another variable, such as a decrease in the amount of light hitting the PV panel.

SOLAR 7: How Does Concentrating the Light from a Light Source Affect the Electrical Output of a PV Cell?

HYF	TO	HE	S	S:
-----	----	----	---	----

MATERIALS: PV panel

multimeter

magnifying lens

PROCEDURE:

- 1. Connect the left PV module to the multimeter and place in the sun.
- 2. Measure the current & voltage.
- 3. Use a magnifying lens to concentrate light on the PV module.
- 4. Measure the current and voltage.
- 5. Conduct trials with the lens at different distances from the PV module and with different PV modules.

RESULTS:

Current should increase with the light concentration. Voltage should remain relatively constant, since voltage is a property of the cells themselves.

 $V \times A = W$ With No lens: With Lens at ___ distance: V x A = W

With Lens at distance: $V \times A = W$

CONCLUSION:

Concentrating light on a PV cell increases the electrical output of the cell.

CHALLENGES:

Determining the focal length of the magnifying lens to concentrate light on the PV cell effectively. Making precise measurements of distances and maintaining precise distances.

SOLAR 8: How Does Air Temperature Affect the Electrical Output of a PV Cell?

HY	PΛ	TH	IFS	ıç.
	гυ		பட	13.

MATERIALS: PV panel

multimeter

thermometer

light source and hair dryer*

PROCEDURE:

- 1. Connect all three modules of the PV panel in series to the multimeter.
- 2. Measure the current & voltage produced by the sun outside on a clear sunny day, recording the exact time of day and air temperature.
- 3. On the next two clear sunny days, at the same time of day, record the PV output and air temperature at the same location.
- 4. Conduct several trials using modules of the PV panel.

RESULTS:

As temperature increases, there can be an increase in resistance, decreasing the current.

Temperature 1	$V \times A = W$
Temnerature 2	V x A = W

CONCLUSION:

Minor changes in air temperature do not affect the output of a PV cell. Major increases in temperature decrease the electrical output.

CHALLENGES:

Controlling the variables in this experiment may be difficult.

^{*} Because it is difficult to design a procedure to conduct this experiment in one day or control all of the variables, as an alternative procedure you can conduct the experiment inside using a light source and a hair dryer to raise the temperature of the PV panel.

SOLAR 9: How Does Combining PV Cells in Parallel Affect the Electrical Output of the PV Panel?

HYPOTHESIS:

MATERIALS: PV panel

multimeter

alligator connectors

PROCEDURE:

- 1. Connect the left PV module to the multimeter and measure current and voltage.
- 2. Connect the left and center PV modules in parallel to the multimeter and measure the current & voltage.
- 3. Connect all three PV modules in parallel to the multimeter and measure the current & voltage of each circuit.

RESULTS:


The current should increase in direct proportion to the number of PV cells in the circuit and the voltage should remain constant.

CONCLUSION:

Combining PV cells in parallel increases the current produced in proportion to the number of cells combined, but the voltage remains the same.

CHALLENGES:

Determining how to connect the PV cells in a parallel circuit.



SOLAR 10: How Does Combining PV Cells in Series Affect the Electrical Output of the PV Panel?

HYPOTHESIS:

MATERIALS: PV panel

multimeter

alligator connectors

PROCEDURE:

- 1. Connect the left PV module to the multimeter and measure the current and voltage.
- 2. Connect the left and center PV modules in series to the multimeter and measure the current & voltage.
- 3. Connect all three PV modules in series to the multimeter and measure the current & voltage of each circuit.

RESULTS:


The voltage should increase in direct proportion to the number of PV cells in the circuit and the current should remain constant.

CONCLUSION:

Combining PV cells in series increases the voltage produced in direct proportion to the number of PV cells and the current remains the same.

CHALLENGES:

Determining how to connect the PV cells in a series circuit.



EXTENSION 1: To investigate the effects of changes in current and voltage on the operation of

an electrical device (load).

HYPOTHESES: Read the procedure and record what you think the effects will be.

MATERIALS: 2 PV panels, 2 fan motors, 2 multimeters

PROCEDURE: Assemble 2 PV panel stands and 2 fan stands. Connect each PV panel to a fan.

Use one PV panel and fan to measure and observe changes in voltage and current with a single module, two modules, and three modules connected in

SERIES.

Use one PV panel and fan to measure and observe changes in voltage and current with a single module, two modules, and three modules connected in

PARALLEL.

DATA: Record your data and observations in the table below. Calculate power (watts).

Circuit Type	# Modules	Voltage	Current	Power	Observations
Series	1				
Series	2				
Series	3				
Parallel	1				
Parallel	2				
Parallel	3				

CONCLUSIONS:

What effects do changes in voltage and current have on fan performance?

What effects were observed when more than one module was used?

What was the difference in fan performance between series and parallel circuits?

CHALLENGES:

EXTENSION 2: To investigate the effects of adding multiple loads to different circuits.

HYPOTHESES: Read the procedure and record what you think the effects will be.

MATERIALS: 2 PV panels, 3 fan motors, 2 multimeters

PROCEDURE: Assemble the PV panel stand and fan stands.

Connect the three PV modules in SERIES on one PV panel and the three modules

in PARALLEL on the second PV panel.

Measure and observe changes in voltage, current and performance of fans with a single fan, two fans, and three fans connected in SERIES to both PV panels.

Measure and observe changes in voltage, current and performance of fans with a single fan, two fans, and three fans connected in PARALLEL to both PV panels.

DATA: Record your data and observations in the table below. Calculate power (watts).

Circuit Type PV Panel	Number of Fans	Circuit Type Fans	Voltage	Current	Power	Observations
Series	1					
Series	2	Series				
Series	3	Series				
Series	2	Parallel				
Series	3	Parallel				
Parallel	1					
Parallel	2	Series				
Parallel	3	Series				
Parallel	2	Parallel				
Parallel	3	Parallel				

CONCLUSIONS:

Is voltage or current more important to the performance of electrical devices?


Give examples of loads in parallel and series circuits that you have used at home.


What might happen if too many loads are drawing power in your classroom?


CHALLENGES:


EXTENSION 3:	To investigate the effects of using different light sources.
HYPOTHESIS:	
MATERIALS:	1 solar panel, 1 multimeter, 1 music box, various light sources
PROCEDURE:	Design a procedure to compare the output of the PV panel using natural sunlight and a variety of artificial light sources (incandescent, fluorescent, halogen).
	The best way for students to compare light bulbs with any validity is to compare incandescent and compact fluorescent bulbs with the same lumen output at the same distance.
DATA:	Record your data and observations.
CONCLUSIONS:	
CHALLENGES:	The biggest challenge is estimating light intensity. Use light meters, if possible, to measure lumens from the various light sources.

CIRCUIT REVIEW: Draw the wiring diagrams for the circuits in the boxes using the symbols below.









Lab Safety Rules

EYE SAFETY

Always wear safety glasses when performing experiments.

FIRE SAFETY

Do not heat any substance or piece of equipment unless specifically instructed to do so.

Be careful of loose clothing. Do not reach across or over a flame.

Keep long hair pulled back and secured.

Do not heat any substance in a closed container.

Always use the tongs or protective gloves when handling hot objects. Do not touch hot objects with your hands.

Keep all lab equipment, chemicals, papers, and personal effects away from the flame.

Extinguish the flame as soon as you are finished with the experiment and move it away from the immediate work area.

HEAT SAFETY

Always use tongs or protective gloves when handling hot objects and substances.

Keep hot objects away from the edge of the lab table—in a place where no one will come into contact with them.

Do not use the steam generator without the assistance of your teacher.

Remember that many objects will remain hot for a long time after the heat source is removed or turned off.

GLASS SAFETY

Never use a piece of glass equipment that appears cracked or broken.

Handle glass equipment carefully. If a piece of glassware breaks, do not attempt to clean it up yourself. Inform your teacher.

Glass equipment can become very hot. Use tongs if glass has been heated.

Clean glass equipment carefully before packing it away.

CHEMICAL SAFETY

Do not smell, touch, or taste chemicals unless instructed to do so.

Keep chemical containers closed except when using them.

Do not mix chemicals without specific instructions.

Do not shake or heat chemicals without specific instructions.

Dispose of used chemicals as instructed. Do not pour chemicals back into container without specific instructions to do so.

If a chemical accidentally touches your skin, immediately wash the area with water and inform your teacher.

PHOTOVOLTAICS

Evaluation Form

St	tate: Grade Level:	Number of Students:
1.	Did you conduct the entire activity?	Yes No
2.	Were the instructions clear and easy to follow	? Yes No
3.	Did the activity meet your academic objectives	s? Yes No
4.	Was the activity age appropriate?	Yes No
5.	Were the allotted times sufficient to conduct t	the activity? Yes No
6.	Was the activity easy to use?	Yes No
7.	Was the preparation required acceptable for the	he activity? Yes No
8.	Were the students interested and motivated?	Yes No
9.	Was the energy knowledge content age appro	priate? Yes No
10.	Would you use the activity again?	Yes No
	yould you rate the activity overall (excellent, goverall (excellent, goverall (excellent, goverall (excellent, goverall)	
What v	would make the activity more useful to you?	
Other	Comments:	

Please fax or mail to:

NEED Project PO Box 10101 Manassas, VA 20108

FAX: 1-800-847-1820

NEED National Sponsors and Partners

American Association of Blacks in Energy Foundation for Environmental Education American Electric Power Georgia Environmental Facilities Authority American Electric Power Foundation Guam Energy Office Gulf Power American Petroleum Institute Halliburton Foundation American Solar Energy Society American Wind Energy Association Gerald Harrington, Geologist Aramco Services Company Houston Museum of Natural Science Areva Hydro Foundation for Research and Education Armstrong Energy Corporation Idaho Department of Education Illinois Clean Energy Community Foundation Association of Desk & Derrick Clubs Independent Petroleum Association of All Wild About Kentucky's Environment America Robert L. Bayless, Producer, LLC Independent Petroleum Association of New **BP** Foundation Mexico BP Indiana Office of Energy and Defense BP Alaska Development **BP Solar** Interstate Renewable Energy Council Bureau of Land Management -Iowa Energy Center U.S. Department of the Interior Kentucky Clean Fuels Coalition **C&E Operators** Kentucky Department of Energy Cape and Islands Self Reliance Development and Independence Cape Cod Cooperative Extension Kentucky Oil and Gas Association Cape Light Compact-Massachusetts Kentucky Propane Education and Research L.J. and Wilma Carr Council Center for the Advancement of Process Kentucky River Properties LLC Technology-College of the Mainland-TX Kentucky Utilities Company Chesapeake Public Schools-VA Keyspan Chesterfield County Public Schools-VA KidWind Chevron Lenfest Foundation Chevron Energy Solutions Llano Land and Exploration ComEd Long Island Power Authority-NY ConEd Solutions Louisville Gas and Electric Company ConocoPhillips Maine Energy Education Project Council on Foreign Relations Maine Public Service Company **CPS Energy** Marianas Islands Energy Office Cypress-Fairbanks Independent Maryland Energy Administration School District-TX Massachusetts Division of Energy Resources **Dart Foundation** Michigan Energy Office Desk and Derrick of Roswell, NM Michigan Oil and Gas Producers Education Dominion Foundation **Dominion Foundation** Minerals Management Service -Duke Energy U.S. Department of the Interior **EDF** Mississippi Development Authority-**Energy Division** East Kentucky Power Montana Energy Education Council El Paso Foundation Narragansett Electric - A National Grid EnCana Company Energy Information Administration -NASA Educator Resource Center-WV U.S. Department of Energy National Alternative Fuels Training Center-**Energy Training Solutions** West Virginia University Energy and Mineral Law Foundation National Association of State Energy Officials **Energy Solutions Foundation** National Association of State Universities Equitable Resources and Land Grant Colleges Escambia County School District-FL National Hydropower Association FPL Energy Encounter-FL National Ocean Industries Association Western Kentucky Science Alliance

First Roswell Company

Florida Department of Environmental

Protection

New Jersey Department of Environmental Protection New York Power Authority New Mexico Oil Corporation New Mexico Landman's Association North Carolina Department of Administration-State Energy Office Offshore Energy Center/Ocean Star/ OEC Society Offshore Technology Conference Ohio Energy Project Pacific Gas and Electric Company **PECO** Petroleum Equipment Suppliers Association Poudre School District-CO Puerto Rico Energy Affairs Administration Puget Sound Energy Roswell Climate Change Committee Roswell Geological Society Rhode Island State Energy Office Sacramento Municipal Utility District Saudi Aramco Sentech, Inc. Shell Snohomish County Public Utility District-WA Society of Petroleum Engineers **David Sorenson** Southern Company Southern LNG Southwest Gas Spring Branch Independent School District-TX Tennessee Department of Economic and Community Development-Energy Division Toyota TransOptions, Inc. TXU Energy United Technologies University of Nevada-Las Vegas, NV United Illuminating Company U.S. Environmental Protection Agency U.S. Department of Energy U.S. Department of Energy-Hydrogen, Fuel Cells and Infrastructure Technologies U.S. Department of Energy - Wind for Schools Virgin Islands Energy Office Virginia Department of Mines, Minerals and Energy Virginia Department of Education Virginia General Assembly Wake County Public Schools-NC Washington and Lee University

W. Plack Carr Company

Yates Petroleum

National Renewable Energy Laboratory

Nebraska Public Power District